

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILIN	IG DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/025,922	12/26/2001		Paul Pedersen	00030-0025	7437
7.	590	03/03/2003			
Orange & Chari				EXAMINER	
Suite 4900				ADDIE, RAYMOND W	
66 Wellington	Street Wes	st		ADDIE, ICA	INIOND W
P.O. Box 190 Toronto, ON	MSV IUG		6 •	ART UNIT	PAPER NUMBER
CANADA	WIJK IIIU		d.	3671	
•			•	DATE MAILED: 03/03/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.



UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, DC. 2023.

Paper No.

Notice of Non-Compliant Amendment (37 CFR 1.121)

THE FOLLOWING ITEMS ARE REQUIRED FOR COMPLIANCE WITH RULE 1.121 (APPLICANT NEED NOT RESUBMIT THE ENTIRE AMENDMENT):

Explan	ation:
G	4. A marked-up version of the amended claim(s) is required. See 37 CFR 1.121(c)(1)(ii).
G	3. A clean version of the amended claim(s) is required. See 37 CFR 1.121(c)(1)(i).
G)	2. A marked-up version of the replacement paragraph(s)/section(s) is required. See 37 CFR 1.121(b)(1)(iii).
G	1. A clean version of the replacement paragraph(s)/section(s) is required. See 37 CFR 1.121(b)(1)(ii).

(LIE: Please provide specific details for correction to assist the applicant. For example, Athe clean version of claim 6 is missing.@)

For further explanation of the amendment format required by 37 CFR 1.121, see MPEP ' 714 and the USPTO website at http://www.uspto.gov/web/offices/dcom/olia/pbg/sampleaf.pdf. A condensed version of a sample amendment format is attached.

- G PRELIMINARY AMENDMENT: Unless applicant supplies the omission or correction to the preliminary amendment in compliance with revised 37 CFR 1.121 noted above within ONE MONTH of the mail date of this letter, examination on the merits may commence without entry of the originally proposed preliminary amendment. This notice is not an action under 35 U.S.C. 132, and this ONE MONTH time limit is not extendable.
- AMENDMENT AFTER NON-FINAL ACTION: Since the above-mentioned reply appears to be bona fide, applicant is given a TIME PERIOD of ONE MONTH or THIRTY DAYS from the mailing of this notice, whichever is longer, within which to supply the omission or correction noted above in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Legal Instruments Examiner (LIE)

(Rev. 12/01)

K

Changes to the Patent Rules

October 20, 2000

Volume 1, Issue 3

This is the third in a series of Patent News Bulletins to assist you in keeping up to date with significant rule changes which affect your area. Keep this copy to use as a bookmark for your present MPEP, or view this bulletin again on the USPTO Website .

Simplified Amendment Practice.
Replacement paragraphs/sections/claims to be used. 37 CFR 1.121

The rule package
"Changes to the Patent
Business Goals - Final
Rule," published in the
Federal Register on
September 8, 2000, 65
Fed. Reg. 54603 (Sept.
8, 2000), and the Official
Gazelte on
September 19, 2000,
1238 Off. Gaz. Pat. Office 77 (September 19,
2000). The PBG rule
package makes a number
of revisions to Tüle 37.

The entire final rule may be found at the USPTO Website at http:// www.uspto.gov/web/ affices/doom/olia/pbg/ Index.html.

Areas and Individuals
primarily affected by this
rule change include:
(1) Patent Examiners and
Tech Support Staff in the
Technology Centers
(2) Office of Patent
Publication

Any questions related to this change in practice should be directed to Joe Narcavage, Special Projects Exr., (703-305-1795) or Ltz. Dougherty, Legal Advisor, (703-306-3156) OPLA.

Mandatory compliance with the revised rule is not required until March 1, 2001. It is suggested that applicants adopt the revised procedures on or after November 7, 2000, in order to adjust to the changes in amendment practice.

Under the new amendment practice, amendments to the specification must be made by the submission of clean new or replacement paragraph(s), section(s), specification, or claim(s). This practice will provide a specification (including claims) in clean, or substantially clean, form that can be effectively captured and converted by optical character recognition (OCR) scanning during the patent printing process.

The new practice requires applicant to provide, in addition to the clean version of a replacement paragraph/section/claim, a marked-up version using applicant's choice of a conventional

marking system to indicate the changes, which will aid the examiner in identifying the changes that have been made. The marked-up version must be based on the previous version and indicate (by markings) how the previous version has been modified to produce the clean version submitted in the current amendment. The term "previous version" means the version of record in the application as originally filed or from a previously entered amendment.

The following format is suggested in an amendment paper: (1) a clean version of each replacement paragraph/section/claim with clear instructions for entry; (2) starting on a separate page, any remarks/arguments (37 CFR 1.111); and (3) starting on a separate page, a marked-up

version entitled "Version with markings to show changes made."

Applicants will also be able to submit a clean set of all pending claims, consolidating all previous versions of pending claims from a series of separate amendments into a single clean version in a single amendment paper. This submission of a clean version of all of the pending claims will be construed as directing the cancellation of all previous versions of any pending claims. No marked-up version will be required to accompany the clean version where no changes other than the consolidation are being made.

The amended rule encourages issuance of applications with an examiner's amendment without practitioners/applicants having to file a formal amendment. Additions or deletions of subject matter in the specification, including the claims, may continue to be

made in an examiner's amendment at the time of allowance by instructions to make any change at a precise location in the specification or the claims. An examiner's amendment may incorporate a printed copy of a fax or email amendment submitted by applicant. Only that part of the e-mail or fax directed to a clean version, or a portion of, a paragraph/claim to be added should be printed and attached to the examiner's amendment, with a paper copy f the entire e-mail or fax being entered in the file. The lectronic version f the e-mail is not required to be saved once the printed e-mail (and any attachments) becomes part of the application file record.

MPEP 714+ & 1302.04

Amendment by

paragraph/claim

replacement in clean form.

公

ATTACHMENT:

Conventional Heading Information

SAMPLE AMENDMENT FORMAT

for Amendment Supplied Here (Applicant, Appl. No., etc) **AMENDMENT** Sir: In response to the Office action of October 10, 2000, please amend the above-identified application as follows: In the Specification: Please replace the paragraph beginning at page 5, line 15, with the following rewritten paragraph: -- In this construction the electric heating elements are positioned directly beneath the iron grid bars and melted fat is carried off in grooves formed in the upper surfaces of the bars. --In the claims: Please cancel claim 6. Please amend claim 7 as follows: 7. (Amended) A griller as claimed in claim 1 wherein the power consumption of the heater element is 1250 watts and the weight of the grill member is about 3.5 kg. (Page Break) **REMARKS/ARGUMENTS** Claims 1-5 and 7-10 remain in this application. Claim 6 has been canceled. Claim 7 has been amended.

(Page Break)

VERSION WITH MARKINGS TO SHOW CHANGES MADE

Applicant respectfully requests that a timely Notice of Allowance be issued in this case.

SIGNATURE

In the specification:

Paragraph beginning at line 15 of page 5 has been amended as follows:

Claims.....

In this construction the electric heating elements are positioned directly beneath the iron grid bars and melted fat is carried off in grooves formed in the upper surfaces of the bars.

In the claims:

Claim 6 has been canceled.

Claim 7 has been amended as foll ws:

7. (Amended) A griller as claimed in claim 1 wherein the power consumption of the heater element is 1250 1600 watts and the weight of the grill member is about 3.5 kg.

ATTACHMENT: